

Crane Monthly Inspection Record MV. Keoyang Noble

MONTH						
Date Completed: Inspected by: Crane No.						
INSPECTION ARI		INSPECTION RESULTS				
	Satisfactory	Unsatisfactory	N/A	Comments		
SUPPORTING STRUCTURE						
WELDS						
BOLTS						
BRIDGE						
RAILS & ALIGNMENT						
TRUCKS & WHEELS						
MOTOR & DRIVE TRAIN	NT	ERIAN PERHUBL	No			
BRAKES	KEMELEN	A STATE OF THE STA	RHUR			
STOPS & LIMIT CONTROLS	Z P		ON			
TROLLEY	13/	3754 390	1/2			
WHEELS		The same				
MOTOR & DRIVE TRAIN	7/ 8500	ENA EKA BH	N. Company			
BRAKES		4				
STOPS & LIMIT CONTROLS	V SE SE		19 20			
RAILS & ALIGNMENT			26			
HOIST	A SE		78 25			
WIRE ROPE CONDITION	N 288 0	Ja Ja	100			
ROPE REEVING	71 8 8	MOS				
CHAIN CONDITION		and the	5 %			
BRAKES & RATCHETS			10			
EQUALIZER SHEAVES	EKN		ELA			
HOIST LIMIT CONTROL	VIV	K ILMU				
FUNCTIONAL OPERATION						
ELECTRICAL						
CONTROL MARKINGS						
CONTROL FUNCTIONS						
WARNING ALARMS						
POWER DISCONNECT						
CONTROL PENDANTS						
FESTOONS						
LOAD BLOCK						
SHEAVES						
PINS						
SWIVEL						
HOOK						



Crane Daily Inspection Record

MV. Keoyang Noble

MONTH:						
Daily Inspections						
(Initial when performed)	Crane No.					
INSPECTION AREA	DATE AND CONDITION					
- II						
Daily Check						
HYDRAULIC OIL TANK						
SLEWING GEAR CASE						
WINCHES	TERIAN PERHUBUAL					
FILTER SERVICE INDICATOR	LENEGEMBA BUNG					
LIMIT SWITCHES						
SLACK WIRE SWITCH	EM SEM					
Hydraulic oil tan						
- Check oil level	REMARKS:					
Slewing gear cas	ie V					
	See instruction, section 6.1. The					
	arked on the name plate and in					
instruction "Tecl	hnical Data", section 2.					
	EKUL					
Winches	WINK UMIL PER					
- Check oil level	See instruction, section 6.1 Oil					

Check oil level. See instruction, section 6.1. Oil
quantity to be found on the name plate and in
instruction "Technical Data", section 2.

Filter service indicator

- Check filter service indicator
- If necessary change filter cartridges, see instruction "Filters", section 5.

Limit switches; compare section 6.3 instruction for stop position

- Testrun all functions and check that they are working properly.

Slack wire switch

- Function test, see instruction, section 6.3.



Crane Weekly Inspection Record MV. Keoyang Noble

MONTH					
Date Completed: Inspected by:		Crane No.			
INODESTION ADEA		10101	DECTION D	FOLU T O	
INSPECTION AREA	Satisfactory	INSPECTION RESULTS Unsatisfactory N/A Comments			
WIRE	Catisiactory	Officialistaciony	N/A	Comments	
CGO HOISTING HOLDING WIRE					
CGO HOISTING HOLDING WIRE					
CGO HOISTING GRAB OPEN-CLOSE WIRE	DIAN PERHILI				
CGO HOISTING GRAB OPEN-CLOSE WIRE	ENTE ANGAN SOM	ERHAN			
CGO HOISTING GRAB OPEN-CLOSE WIRE		BUN			
CGO HOISTING GRAB OPEN-CLOSE WIRE		N PZ			
CGO HOISTING HOLDING WIRE					
CGO HOISTING HOLDING WIRE	EKA B				
CGO LUFFING WIRE					
CGO LUFFING WIRE	18				
Wire ropes, wire rope clamps, pears and REMARKS: schackles					
 Inspect for wear. See instruction checking steel wire ropes" under 		PELAYAR			

- Wire ropes are inspected according to stipulations issued by Classification Associations and National Bodies.



Crane Annualy Inspection Record MV. Keoyang Noble

DATE: Inspected by:		Crane No.			
INSPECTION AREA		INSPECTION RESULTS			
		Satisfactory	Unsatisfactory	N/A	Comments
Cargo Gear					
SLEWING GEAR CASE					
WINCHES					
AIR BREATHER					
HYDRAULIC OIL TANK		NAN PERHA			
HYDRAULIC ACCUMULATO	ORS MENTE	BANGAN SOM	PERUAN		
Slewing gear case	DE STREET		REMARKS	:	
 Change oil. See in 	struction, sectio	n 6.1.KA			
Winches - Change oil. See in	nstructin "Winch"	', section 6.1			
Air breather, hydra	aul <mark>ic</mark> oil tank				
 Check and chang tank. 	ge air breather	on top of th	e AYR		
Hydraulic accumu	lators	K ILMU	PEL		
- Check pressure,	re-charge as	required. Se	е		
instruction "Hydra	ulic Accumulator	s", section 6.	1.		