Lampiran 5

Cargo Cranes Inspection

Ship's Name: MV. KT 05 Date: 12 February 2017 Condition Item Check/Maintain Point Remark No. Yes No Cranes (17 Items/49 point / 18 point) Interval: each port Slewing No.1 Luffing cargo Slewing No.2 Luffing cargo The operating condition of control П Slewing system No.3 Luffing П cargo Slewing No.4 Luffing cargo Slewing No.1 Luffing cargo Slewing Luffing No.2 cargo the operating condition of hydraulic 2 system Slewing No.3 Luffing cargo Slewing Luffing No.4 cargo П Slewing No.1 Luffing cargo Slewing Luffing No.2 The operating condition of brake 3 cargo system Slewing No.3 Luffing cargo Slewing No.4 Luffing

Item	Check/Maintain Point			Condition		
No.				Yes	No	Remark
	oil change condition of reducing gear for hydraulic motor	No.1	Slewing			
			Luffing			
			cargo			
		No.2	Slewing			
			Luffing			
4			cargo			
•		No.3	Slewing			
			Luffing			
			cargo			
		No.4	Slewing			
			Luffing			
			cargo			
5		EKA No.1				
	greasing of chain coupling according to pms Maintenance by PMS	No.2				
		No.3				
		N	0.4			
6	The operating condition of safety limit	0 No.1				
		No.2				
		No.3				
		N	o.4			

cargo

Item	Check/Maintain Point			lition	Remark
No.				No	
7	The condition of hydraulic oil No.				
	The oil are maintained best condition by analysis				
	If there is big diff' during oil and temperature of atmosphere, it can make water.				
	If the oil will be emulsified and change color, change oil according to C/E decision	No.3			
	Most of machinery will be troubled cause by oil problem	No.4			
		No.1			
8	Check oil filter of system Check iron filings, if find it, inform to company immediately				
0					
	Check brush chamber for the trans system of electric power Check the condition of brush periodically.	No.1			
9		No.2			
		No.3			
	The condition of slowing gear and greasing of it, use only gear grease.	No.1			
10		No.2			
10		No.3			
	Check all greasing				
11					
11					
		No.1			
	The condition of sheave and block				
12					

Item	Check/Maintain Point			Condition		Damank	
No.		Check/Maintain	Poliit	1	Yes	No	Remark
13				No.1			
	The and this of wine		No.2				
	The condition of wire			No.3			
				No.4			
				No.1			
14	The condition and cleaning crane room.		No.2				
14			No.3				
				No.4			
				No.1			
15	The condition of manhole for crane roulette. Prevention of penetration by sea water or rain		No.2				
15			No.3				
		~~	EKA	No.4	1		
				No1			
1.6	The condition of safety plate, handrail at the crane		No.2				
16	Secure safety first			No.3	7 🗆		
			MARA	No.4			
17	Winter season: start crane according to manual - 1~2seconds start/1~3seconds stop 10 times over First: start- make short/ stop-make long Second: start-make long/stop-make short)						
Function		1/E	C/O	C/E			Master

Function	1/E	C/O	C/E	Master
Rank / Name				
Signature				
Date				